

ROW LENGTH SELECTOR GUIDE

The table below makes it possible for you to use a standard catalog code to order an Accent Light system in any row length from 4' to 250'.

To find the proper catalog code:

1. Establish row length from plans or building dimensions using AL modifiers as needed for corner - see Electrical and Photometry Guide (2-Light) AL EPG 2.
2. Select the line most closely "centering" the established row length. Use catalog code in 5th column.

INSTALLATION PARTS LIST

The table below shows the quantity of all component parts in each row of Accent Lighting. Individual parts are shipped in sufficient quantity for all rows on the job. All cartons are labeled for identification of contents.

Example: One row of AL-2T8P-RLD-E-S-37.0 will include the following:

GENERAL

6 ea. Wall Rail
6 ea. Wall Plate
1 ea. End Kit
10 ea. Shielding
10 ea. Reflector

HOUSINGS

4 ea. 8' Housing
1 ea. 3' Housing
1 ea. 2' Housing
1 ea. Adjustable Housing

ELECTRICAL UNITS

8 ea. AL4 232
1 ea. AL4 232 ADJ (Adjustable)

2-LIGHT		CATALOG CODE	WALL RAIL	WALL PLATE (IF REQUIRED)	8' HOUSING (90")	6' HOUSING (66")	4' HOUSING (45")	3' HOUSING (33")	2' HOUSING (21")	ADJ. HOUSING	REFLECTOR	AL4 232	AL3 225	AL4 232 ADJ	AL3 225 ADJ	AL2 217 ADJ	END KIT	SHIELDING (IF REQUIRED)	LAMP CONCEALER (IF REQUIRED)
ROW LENGTH																			
MIN.	MAX.																		
4'	4"	5'	9"	5.0	1	1				1	2			1			1	2	1
5'	4"	6'	9"	6.0	1	1				1	2		1			1	1	2	1
6'	4"	7'	9"	7.0	2	2				1	2		1		1		1	2	2
7'	4"	8'	9"	8.0	2	2				1	3	1			1		1	3	2
8'	4"	9'	9"	9.0	2	2				1	3	1		1			1	3	2
9'	4"	10'	9"	10.0	2	2	1			1	3		2		1		1	3	2
10'	4"	11'	9"	11.0	2	2		1		1	3	1	1		1		1	3	2
11'	4"	12'	9"	12.0	2	2	1			1	4	2			1		1	4	2
12'	4"	13'	9"	13.0	2	2	1			1	4	2		1			1	4	2
13'	4"	14'	9"	14.0	2	2	1			1	4	1	2		1		1	4	2
14'	4"	15'	9"	15.0	3	3	1			1	4	2	1		1		1	4	3
15'	4"	16'	9"	16.0	3	3	1	1		1	5	3			1		1	5	3
16'	4"	17'	9"	17.0	3	3	1		1	1	5	3		1			1	5	3
17'	4"	18'	9"	18.0	3	3	2			1	5	2	2		1		1	5	3
18'	4"	19'	9"	19.0	3	3	2			1	5	3	1		1		1	5	3
19'	4"	20'	9"	20.0	3	3	2			1	6	4			1		1	6	3
20'	4"	21'	9"	21.0	3	3	2			1	6	4		1			1	6	3
21'	4"	22'	9"	22.0	4	4	2			1	6	3	2		1		1	6	4
22'	4"	23'	9"	23.0	4	4	2	1		1	6	4	1		1		1	6	4
23'	4"	24'	9"	24.0	4	4	2			1	7	5			1		1	7	4
24'	4"	25'	9"	25.0	4	4	3			1	7	5		1			1	7	4
25'	4"	26'	9"	26.0	4	4	2	1		1	7	4	2		1		1	7	4
26'	4"	27'	9"	27.0	4	4	3			1	7	5	1		1		1	7	4
27'	4"	28'	9"	28.0	4	4	3			1	8	6			1		1	8	4
28'	4"	29'	9"	29.0	4	4	3			1	8	6		1			1	8	4
29'	4"	30'	9"	30.0	5	5	3			1	8	5	2		1		1	8	5
30'	4"	31'	9"	31.0	5	5	3	1		1	8	6	1		1		1	8	5
31'	4"	32'	9"	32.0	5	5	3			1	9	7			1		1	9	5
32'	4"	33'	9"	33.0	5	5	4			1	9	7		1			1	9	5
33'	4"	34'	9"	34.0	5	5	4			1	9	6	2		1		1	9	5
34'	4"	35'	9"	35.0	5	5	4			1	9	7	1		1		1	9	5
35'	4"	36'	9"	36.0	5	5	4			1	10	8			1		1	10	5
36'	4"	37'	9"	37.0	6	6	4			1	10	8		1			1	10	6
37'	4"	38'	9"	38.0	6	6	4	1		1	10	7	2		1		1	10	6
38'	4"	39'	9"	39.0	6	6	4			1	10	8	1		1		1	10	6
39'	4"	40'	9"	40.0	6	6	5			1	11	9			1		1	11	6
40'	4"	41'	9"	41.0	6	6	4	1		1	11	9		1			1	11	6
41'	4"	42'	9"	42.0	6	6	5			1	11	8	2		1		1	11	6
42'	4"	43'	9"	43.0	6	6	5			1	11	9	1		1		1	11	6

2-LIGHT				CATALOG CODE	WALL RAIL	WALL PLATE (IF REQUIRED)	8' HOUSING (90")	6' HOUSING (66")	4' HOUSING (45")	3' HOUSING (33")	2' HOUSING (21")	ADJ. HOUSING	REFLECTOR	AL4 232	AL3 225	AL4 232 ADJ	AL3 225 ADJ	AL2 217 ADJ	END KIT	SHIELDING (IF REQUIRED)	LAMP CONCEALER (IF REQUIRED)	
ROW LENGTH																						
MIN.	MAX.																					
43'	4"	44'	9"	44.0	6	6	5		1			1	12	10			1		1	12	6	
44'	4"	45'	9"	45.0	7	7	5			1	1	1	12	10		1			1	12	7	
45'	4"	46'	9"	46.0	7	7	5	1				1	12	9	2		1			1	12	7
46'	4"	47'	9"	47.0	7	7	5		1	1		1	12	10	1		1			1	12	7
47'	4"	48'	9"	48.0	7	7	6					1	13	11			1			1	13	7
48'	4"	49'	9"	49.0	7	7	6				1	1	13	11		1				1	13	7
49'	4"	50'	9"	50.0	7	7	6			1		1	13	10	2		1			1	13	7
50'	4"	51'	9"	51.0	7	7	6		1			1	13	11	1		1			1	13	7
51'	4"	52'	9"	52.0	8	8	6			1	1	1	14	12			1			1	14	8
52'	4"	53'	9"	53.0	8	8	6	1				1	14	12		1				1	14	8
53'	4"	54'	9"	54.0	8	8	6		1	1		1	14	11	2		1			1	14	8
54'	4"	55'	9"	55.0	8	8	7					1	14	12	1		1			1	14	8
55'	4"	56'	9"	56.0	8	8	6	1		1		1	15	13			1			1	15	8
56'	4"	57'	9"	57.0	8	8	7				1	1	15	13		1				1	15	8
57'	4"	58'	9"	58.0	8	8	7			1		1	15	12	2		1			1	15	8
58'	4"	59'	9"	59.0	8	8	7		1			1	15	13	1		1			1	15	8
59'	4"	60'	9"	60.0	9	9	7			1	1	1	16	14			1			1	16	9
60'	4"	61'	9"	61.0	9	9	7	1				1	16	14		1				1	16	9
61'	4"	62'	9"	62.0	9	9	7		1	1		1	16	13	2		1			1	16	9
62'	4"	63'	9"	63.0	9	9	8					1	16	14	1		1			1	16	9
63'	4"	64'	9"	64.0	9	9	8				1	1	17	15			1			1	17	9
64'	4"	65'	9"	65.0	9	9	8			1		1	17	15		1				1	17	9
65'	4"	66'	9"	66.0	9	9	8		1			1	17	14	2		1			1	17	9
66'	4"	67'	9"	67.0	10	10	8			1	1	1	17	15	1		1			1	17	10
67'	4"	68'	9"	68.0	10	10	8	1				1	18	16			1			1	18	10
68'	4"	69'	9"	69.0	10	10	8		1	1		1	18	16		1				1	18	10
69'	4"	70'	9"	70.0	10	10	9					1	18	15	2		1			1	18	10
70'	4"	71'	9"	71.0	10	10	8	1		1		1	18	16	1		1			1	18	10
71'	4"	72'	9"	72.0	10	10	9				1	1	19	17			1			1	19	10
72'	4"	73'	9"	73.0	10	10	9			1		1	19	17		1				1	19	10
73'	4"	74'	9"	74.0	10	10	9		1			1	19	16	2		1			1	19	10
74'	4"	75'	9"	75.0	11	11	9			1	1	1	19	17	1		1			1	19	11
75'	4"	76'	9"	76.0	11	11	9	1				1	20	18			1			1	20	11
76'	4"	77'	9"	77.0	11	11	9		1	1		1	20	18		1				1	20	11
77'	4"	78'	9"	78.0	11	11	10					1	20	17	2		1			1	20	11
78'	4"	79'	9"	79.0	11	11	10				1	1	20	18	1		1			1	20	11
79'	4"	80'	9"	80.0	11	11	10			1		1	21	19			1			1	21	11
80'	4"	81'	9"	81.0	12	12	10		1			1	21	19		1				1	21	12
81'	4"	82'	9"	82.0	12	12	10			1	1	1	21	18	2		1			1	21	12
82'	4"	83'	9"	83.0	12	12	10	1				1	21	19	1		1			1	21	12
83'	4"	84'	9"	84.0	12	12	10		1	1		1	22	20			1			1	22	12
84'	4"	85'	9"	85.0	12	12	11					1	22	20		1				1	22	12
85'	4"	86'	9"	86.0	12	12	10	1		1		1	22	19	2		1			1	22	12
86'	4"	87'	9"	87.0	12	12	11				1	1	22	20	1		1			1	22	12
87'	4"	88'	9"	88.0	12	12	11			1		1	23	21			1			1	23	12
88'	4"	89'	9"	89.0	13	13	11		1			1	23	21		1				1	23	13
89'	4"	90'	9"	90.0	13	13	11			1	1	1	23	20	2		1			1	23	13
90'	4"	91'	9"	91.0	13	13	11	1				1	23	21	1		1			1	23	13
91'	4"	92'	9"	92.0	13	13	11		1	1		1	24	22			1			1	24	13
92'	4"	93'	9"	93.0	13	13	12					1	24	22		1				1	24	13
93'	4"	94'	9"	94.0	13	13	12				1	1	24	21	2		1			1	24	13
94'	4"	95'	9"	95.0	13	13	12			1		1	24	22	1		1			1	24	13
95'	4"	96'	9"	96.0	13	13	12		1			1	25	23			1			1	25	13
96'	4"	97'	9"	97.0	14	14	12			1	1	1	25	23		1				1	25	14
97'	4"	98'	9"	98.0	14	14	12	1				1	25	22	2		1			1	25	14
98'	4"	99'	9"	99.0	14	14	12		1	1		1	25	23	1		1			1	25	14
99'	4"	100'	9"	100.0	14	14	13					1	26	24			1			1	26	14
100'	4"	101'	9"	101.0	14	14	12	1		1		1	26	24		1				1	26	14

2-LIGHT				CATALOG CODE	WALL RAIL	WALL PLATE (IF REQUIRED)	8' HOUSING (90")	6' HOUSING (66")	4' HOUSING (45")	3' HOUSING (33")	2' HOUSING (21")	ADJ. HOUSING	REFLECTOR	AL4 232	AL3 225	AL4 232 ADJ	AL3 225 ADJ	AL2 217 ADJ	END KIT	SHIELDING (IF REQUIRED)	LAMP CONCEALER (IF REQUIRED)	
ROW LENGTH																						
MIN.		MAX.																				
101'	4"	102'	9"	102.0	14	14	13				1	1	26	23	2		1			1	26	14
102'	4"	103'	9"	103.0	14	14	13			1		1	26	24	1		1			1	26	14
103'	4"	104'	9"	104.0	14	14	13			1		1	27	25			1			1	27	14
104'	4"	105'	9"	105.0	15	15	13				1	1	27	25		1				1	27	15
105'	4"	106'	9"	106.0	15	15	13	1				1	27	24	2		1			1	27	15
106'	4"	107'	9"	107.0	15	15	13		1	1		1	27	25	1		1			1	27	15
107'	4"	108'	9"	108.0	15	15	14					1	28	26			1			1	28	15
108'	4"	109'	9"	109.0	15	15	14				1	1	28	26		1				1	28	15
109'	4"	110'	9"	110.0	15	15	14			1		1	28	25	2		1			1	28	15
110'	4"	111'	9"	111.0	15	15	14		1			1	28	26	1		1			1	28	15
111'	4"	112'	9"	112.0	16	16	14			1	1	1	29	27			1			1	29	16
112'	4"	113'	9"	113.0	16	16	14	1				1	29	27		1				1	29	16
113'	4"	114'	9"	114.0	16	16	14		1	1		1	29	26	2		1			1	29	16
114'	4"	115'	9"	115.0	16	16	15					1	29	27	1		1			1	29	16
115'	4"	116'	9"	116.0	16	16	14	1		1		1	30	28			1			1	30	16
116'	4"	117'	9"	117.0	16	16	15				1	1	30	28		1				1	30	16
117'	4"	118'	9"	118.0	16	16	15			1		1	30	27	2		1			1	30	16
118'	4"	119'	9"	119.0	16	16	15		1			1	30	28	1		1			1	30	16
119'	4"	120'	9"	120.0	17	17	15			1	1	1	31	29			1			1	31	17
120'	4"	121'	9"	121.0	17	17	15	1				1	31	29		1				1	31	17
121'	4"	122'	9"	122.0	17	17	15		1	1		1	31	28	2		1			1	31	17
122'	4"	123'	9"	123.0	17	17	16					1	31	29	1		1			1	31	17
123'	4"	124'	9"	124.0	17	17	16				1	1	32	30			1			1	32	17
124'	4"	125'	9"	125.0	17	17	16			1		1	32	30		1				1	32	17
125'	4"	126'	9"	126.0	17	17	16		1			1	32	29	2		1			1	32	17
126'	4"	127'	9"	127.0	18	18	16			1	1	1	32	30	1		1			1	32	18
127'	4"	128'	9"	128.0	18	18	16	1				1	33	31			1			1	33	18
128'	4"	129'	9"	129.0	18	18	16		1	1		1	33	31		1				1	33	18
129'	4"	130'	9"	130.0	18	18	17					1	33	30	2		1			1	33	18
130'	4"	131'	9"	131.0	18	18	16	1		1		1	33	31	1		1			1	33	18
131'	4"	132'	9"	132.0	18	18	17				1	1	34	32			1			1	34	18
132'	4"	133'	9"	133.0	18	18	17			1		1	34	32		1				1	34	18
133'	4"	134'	9"	134.0	18	18	17		1			1	34	31	2		1			1	34	18
134'	4"	135'	9"	135.0	19	19	17			1	1	1	34	31	1		1			1	34	19
135'	4"	136'	9"	136.0	19	19	17	1				1	35	33			1			1	35	19
136'	4"	137'	9"	137.0	19	19	17		1	1		1	35	33		1				1	35	19
137'	4"	138'	9"	138.0	19	19	18					1	35	32	2		1			1	35	19
138'	4"	139'	9"	139.0	19	19	18				1	1	35	33	1		1			1	35	19
139'	4"	140'	9"	140.0	19	19	18			1		1	35	34			1			1	35	19
140'	4"	141'	9"	141.0	19	19	18		1			1	36	34		1				1	36	19
141'	4"	142'	9"	142.0	20	20	18			1	1	1	36	33	2		1			1	36	20
142'	4"	143'	9"	143.0	20	20	18	1				1	36	34	1		1			1	36	20
143'	4"	144'	9"	144.0	20	20	18		1	1		1	36	35			1			1	36	20
144'	4"	145'	9"	145.0	20	20	19					1	37	35		1				1	37	20
145'	4"	146'	9"	146.0	20	20	18	1		1		1	37	34	2		1			1	37	20
146'	4"	147'	9"	147.0	20	20	19				1	1	37	35	1		1			1	37	20
147'	4"	148'	9"	148.0	20	20	19			1		1	37	36			1			1	37	20
148'	4"	149'	9"	149.0	20	20	19		1			1	38	36		1				1	38	20
149'	4"	150'	9"	150.0	21	21	19			1	1	1	38	35	2		1			1	38	21
150'	4"	151'	9"	151.0	21	21	19	1				1	38	36	1		1			1	38	21
151'	4"	152'	9"	152.0	21	21	19		1	1		1	38	37			1			1	38	21
152'	4"	153'	9"	153.0	21	21	20					1	39	37		1				1	39	21
153'	4"	154'	9"	154.0	21	21	20				1	1	39	36	2		1			1	39	21
154'	4"	155'	9"	155.0	21	21	20			1		1	39	37	1		1			1	39	21
155'	4"	156'	9"	156.0	21	21	20		1			1	39	38			1			1	39	21
156'	4"	157'	9"	157.0	22	22	20			1	1	1	40	38		1				1	40	22
157'	4"	158'	9"	158.0	22	22	20	1				1	40	37	2		1			1	40	22
158'	4"	159'	9"	159.0	22	22	20		1	1		1	40	38	1		1			1	40	22

2-LIGHT				CATALOG CODE	WALL RAIL	WALL PLATE (IF REQUIRED)	8' HOUSING (90")	6' HOUSING (66")	4' HOUSING (45")	3' HOUSING (33")	2' HOUSING (21")	ADJ. HOUSING	REFLECTOR	AL4 232	AL3 225	AL4 232 ADJ	AL3 225 ADJ	AL2 217 ADJ	END KIT	SHIELDING (IF REQUIRED)	LAMP CONCEALER (IF REQUIRED)	
ROW LENGTH																						
MIN.		MAX.																				
159'	4"	160'	9"	160.0	22	22	21					1	40	39			1		1	40	22	
160'	4"	161'	9"	161.0	22	22	20	1		1		1	41	39		1			1	41	22	
161'	4"	162'	9"	162.0	22	22	21				1	1	41	38	2		1			1	41	22
162'	4"	163'	9"	163.0	22	22	21			1		1	41	39	1		1			1	41	22
163'	4"	164'	9"	164.0	22	22	21		1			1	41	40			1			1	41	22
164'	4"	165'	9"	165.0	23	23	21				1	1	42	40		1				1	42	23
165'	4"	166'	9"	166.0	23	23	21	1				1	42	39	2		1			1	42	23
166'	4"	167'	9"	167.0	23	23	21		1	1		1	42	40	1		1			1	42	23
167'	4"	168'	9"	168.0	23	23	22					1	42	41			1			1	42	23
168'	4"	169'	9"	169.0	23	23	22				1	1	43	41		1				1	43	23
169'	4"	170'	9"	170.0	23	23	22			1		1	43	40	2		1			1	43	23
170'	4"	171'	9"	171.0	23	23	22		1			1	43	41	1		1			1	43	23
171'	4"	172'	9"	172.0	24	24	22			1	1	1	43	42			1			1	43	24
172'	4"	173'	9"	173.0	24	24	22	1				1	44	42		1				1	44	24
173'	4"	174'	9"	174.0	24	24	22		1	1		1	44	41	2		1			1	44	24
174'	4"	175'	9"	175.0	24	24	23					1	44	42	1		1			1	44	24
175'	4"	176'	9"	176.0	24	24	22	1		1		1	44	43			1			1	44	24
176'	4"	177'	9"	177.0	24	24	23				1	1	45	43		1				1	45	24
177'	4"	178'	9"	178.0	24	24	23			1		1	45	42	2		1			1	45	24
178'	4"	179'	9"	179.0	24	24	23		1			1	45	43	1		1			1	45	24
179'	4"	180'	9"	180.0	25	25	23			1	1	1	45	44			1			1	45	25
180'	4"	181'	9"	181.0	25	25	23	1				1	46	44		1				1	46	25
181'	4"	182'	9"	182.0	25	25	23		1	1		1	46	43	2		1			1	46	25
182'	4"	183'	9"	183.0	25	25	24					1	46	44	1		1			1	46	25
183'	4"	184'	9"	184.0	25	25	24				1	1	46	45			1			1	46	25
184'	4"	185'	9"	185.0	25	25	24			1		1	47	45		1				1	47	25
185'	4"	186'	9"	186.0	25	25	24		1			1	47	44	2		1			1	47	25
186'	4"	187'	9"	187.0	26	26	24			1	1	1	47	45	1		1			1	47	26
187'	4"	188'	9"	188.0	26	26	24	1				1	47	46			1			1	47	26
188'	4"	189'	9"	189.0	26	26	24		1	1		1	48	46		1				1	48	26
189'	4"	190'	9"	190.0	26	26	25					1	48	45	2		1			1	48	26
190'	4"	191'	9"	191.0	26	26	24	1		1		1	48	46	1		1			1	48	26
191'	4"	192'	9"	192.0	26	26	25				1	1	48	47			1			1	48	26
192'	4"	193'	9"	193.0	26	26	25			1		1	49	47		1				1	49	26
193'	4"	194'	9"	194.0	26	26	25		1			1	49	46	2		1			1	49	26
194'	4"	195'	9"	195.0	27	27	25			1	1	1	49	47	1		1			1	49	27
195'	4"	196'	9"	196.0	27	27	25	1				1	49	48			1			1	49	27
196'	4"	197'	9"	197.0	27	27	25		1	1		1	50	48		1				1	50	27
197'	4"	198'	9"	198.0	27	27	26					1	50	47	2		1			1	50	27
198'	4"	199'	9"	199.0	27	27	26				1	1	50	48	1		1			1	50	27
199'	4"	200'	9"	200.0	27	27	26			1		1	50	49			1			1	50	27
200'	4"	201'	9"	201.0	27	27	26		1			1	51	49		1				1	51	27
201'	4"	202'	9"	202.0	28	28	26			1	1	1	51	48	2		1			1	51	28
202'	4"	203'	9"	203.0	28	28	26	1				1	51	49	1		1			1	51	28
203'	4"	204'	9"	204.0	28	28	26		1	1		1	51	50			1			1	51	28
204'	4"	205'	9"	205.0	28	28	27					1	52	50		1				1	52	28
205'	4"	206'	9"	206.0	28	28	26	1		1		1	52	49	2		1			1	52	28
206'	4"	207'	9"	207.0	28	28	27				1	1	52	50	1		1			1	52	28
207'	4"	208'	9"	208.0	28	28	27			1		1	52	51			1			1	52	28
208'	4"	209'	9"	209.0	28	28	27		1			1	53	51		1				1	53	28
209'	4"	210'	9"	210.0	29	29	27			1	1	1	53	50	2		1			1	53	29
210'	4"	211'	9"	211.0	29	29	27	1				1	53	51	1		1			1	53	29
211'	4"	212'	9"	212.0	29	29	27		1	1		1	53	52			1			1	53	29
212'	4"	213'	9"	213.0	29	29	28					1	54	52		1				1	54	29
213'	4"	214'	9"	214.0	29	29	28				1	1	54	51	2		1			1	54	29
214'	4"	215'	9"	215.0	29	29	28			1		1	54	52	1		1			1	54	29
215'	4"	216'	9"	216.0	29	29	28		1			1	54	53			1			1	54	29
216'	4"	217'	9"	217.0	30	30	28			1	1	1	55	53		1				1	55	30

2-LIGHT				CATALOG CODE	WALL RAIL	WALL PLATE (IF REQUIRED)	8' HOUSING (90")	6' HOUSING (66")	4' HOUSING (45")	3' HOUSING (33")	2' HOUSING (21")	ADJ. HOUSING	REFLECTOR	AL4 232	AL3 225	AL4 232 ADJ	AL3 225 ADJ	AL2 217 ADJ	END KIT	SHIELDING (IF REQUIRED)	LAMP CONCEALER (IF REQUIRED)
ROW LENGTH																					
MIN.		MAX.																			
217'	4"	218'	9"	218.0	30	30	28	1				1	55	52	2		1		1	55	30
218'	4"	219'	9"	219.0	30	30	28		1	1		1	55	53	1		1		1	55	30
219'	4"	220'	9"	220.0	30	30	29					1	55	54			1		1	55	30
220'	4"	221'	9"	221.0	30	30	28	1		1		1	56	54		1			1	56	30
221'	4"	222'	9"	222.0	30	30	29				1	1	56	53	2		1		1	56	30
222'	4"	223'	9"	223.0	30	30	29			1		1	56	54	1		1		1	56	30
223'	4"	224'	9"	224.0	30	30	29		1			1	56	55			1		1	56	30
224'	4"	225'	9"	225.0	31	31	29			1	1	1	57	55		1			1	57	31
225'	4"	226'	9"	226.0	31	31	29	1				1	57	54	2		1		1	57	31
226'	4"	227'	9"	227.0	31	31	29		1	1		1	57	55	1		1		1	57	31
227'	4"	228'	9"	228.0	31	31	30					1	57	56			1		1	57	31
228'	4"	229'	9"	229.0	31	31	30				1	1	58	56		1			1	58	31
229'	4"	230'	9"	230.0	31	31	30			1		1	58	55	2		1		1	58	31
230'	4"	231'	9"	231.0	31	31	30		1			1	58	56	1		1		1	58	31
231'	4"	232'	9"	232.0	32	32	30			1	1	1	58	57			1		1	58	32
232'	4"	233'	9"	233.0	32	32	30	1				1	59	57		1			1	59	32
233'	4"	234'	9"	234.0	32	32	30		1	1		1	59	56	2		1		1	59	32
234'	4"	235'	9"	235.0	32	32	31					1	59	57	1		1		1	59	32
235'	4"	236'	9"	236.0	32	32	30	1		1		1	59	58			1		1	59	32
236'	4"	237'	9"	237.0	32	32	31				1	1	60	58		1			1	60	32
237'	4"	238'	9"	238.0	32	32	31			1		1	60	57	2		1		1	60	32
238'	4"	239'	9"	239.0	32	32	31		1			1	60	58	1		1		1	60	32
239'	4"	240'	9"	240.0	33	33	31			1	1	1	60	59			1		1	60	33
240'	4"	241'	9"	241.0	33	33	31	1				1	61	59		1			1	61	33
241'	4"	242'	9"	242.0	33	33	31		1	1		1	61	58	2		1		1	61	33
242'	4"	243'	9"	243.0	33	33	32					1	61	59	1		1		1	61	33
243'	4"	244'	9"	244.0	33	33	32				1	1	61	60			1		1	61	33
244'	4"	245'	9"	245.0	33	33	32			1		1	61	60		1			1	61	33
245'	4"	246'	9"	246.0	33	33	32		1			1	62	59	2		1		1	62	33
246'	4"	247'	9"	247.0	34	34	32			1	1	1	62	60	1		1		1	62	34
247'	4"	248'	9"	248.0	34	34	32	1				1	62	61			1		1	62	34
248'	4"	249'	9"	249.0	34	34	32		1	1		1	62	61		1			1	62	34
249'	4"	250'	9"	250.0	34	34	33					1	63	60	2		1		1	63	34